
Test Summary

The following products have been tested by Shanghai WEIPU Chemical Technology Service Co., Ltd as outlined in report(s): WP-20116865-JC-01En; WP-20116865-JC-02En; WP-20116865-JC-03En; WP-20116865-JC-04En; WP-20116865-JC-05En

Product Description	AeraMax Pro
Manufacturer	Fellowes
Test specification	Technical specification for disinfection (2002) 2.1.3
Test Method	Determination of removal efficiency of HCoV 229E following aerosolization of the virus into a 20m ³ environmental test chamber. The device operated at max speed and ionizer ON during test.
Additional SKUs	AeraMax Pro

DATA

The below table shown are the test summary based on the tested products with the different installed filters.

Report NO.	Product	With the Filters	Antiviral Activity Rate (%)
WP-20116865-JC-01En	AeraMax Pro AM2	Hybrid Filter	>99.99%
WP-20116865-JC-02En	AeraMax Pro AM3/S PC	Pre-filter+Carbonfilter+HEPA filter	>99.99%
WP-20116865-JC-03En	AeraMax Pro AM3/S PC	Pre-filter+Hybrid Filter	>99.99%
WP-20116865-JC-04En	AeraMax Pro AM4/S PC	Pre-filter+Carbonfilter+HEPA filter	>99.99%
WP-20116865-JC-05En	AeraMax Pro AM4/S PC	Pre-filter+Hybrid Filter	>99.99%